

**Analytical report AR-26-HD-019726-01**

**Testing laboratory:**

Eurofins Food & Feed Testing Czech Republic s.r.o.  
 Zkušební laboratoř EUROFINS CZ  
 Radiová 1285/7  
 102 00 Praha 10 - Hostivař  
 IČO: 27449408  
 tel.: +420 778 488 111 E-mail: ClientService.cz@ftcee.eurofins.com

**Customer:**

Vilgain s.r.o.  
 Smetanova 1022/19  
 602 00 Brno  
 CZECH REPUBLIC

**Issue date 04.06.2026**
**Sample code 540-2026-00030022**

**Sample reception date:** 28.05.2026  
**Date of Testing** 28.05.2026 - 04.06.2026

**Sample information:**

Sample name, extended: <sup>1)</sup> vilgain sardines in brine 120g  
 Sample description: <sup>1)</sup> 005-32407-295092  
 Client Purchase order nr.: anorganický arsen v rybách  
 Order date: 27.05.2026  
 Client sample code: <sup>1)</sup> BB: 28.4.2029; L185.280426  
 Sampler: Customer

**Physical and chemical tests**

Parameter	Unit	Result	Uncertainty of measurement *	Method	Method principle	TZ
<b>Brutto sample weight of supplied sample ++</b>	kg	0.44	5%	++ SOP MB.005.PB	Gravimetry	A
<b>Arsenic, inorganic [As]</b>	mg/kg	< 0.10		ASU L 25.06-1 (2008-12), mod. [DE Food], CON-PV 01288 (2020-05)	HG-AAS	SA
<b>Arsenic (As)</b>	mg/kg	1.8	0.4	DIN EN ISO 15763 (2010), CON-PV 01274 (2023-09)	ICP-MS	SA
<b>Cadmium (Cd)</b>	mg/kg	0.048	0.014	Internal Method (digestion according NEN-EN 13805), W3401 + W3407	ICP-MS	SA
<b>Lead (Pb)</b>	mg/kg	0.011	0.0029	Internal Method (digestion according NEN-EN 13805), W3401 + W3407	ICP-MS	SA
<b>Mercury (Hg)</b>	mg/kg	< 0.01		Internal Method (digestion according NEN-EN 13805), W3401 + W3407	ICP-MS	SA

Decision rule: If the testing laboratory issues a statement of conformity, the decision-making rule according to ch. 4.2.1 of ILAC document G8:09/2019 Guidelines for the use of decision rules and statement of conformity. In such a case, the measurement uncertainty is not taken into account for the conformity statement. If measurement uncertainty is included the decision, this information is included in the statement of conformity. In such a case, proceed according to chap. 4.2.3 ILAC G8:09/2019.

**Notes:** SOP, ŠPP - Standard operation procedure  
ND - not detected by given method  
CFU - Colony forming unit  
NM - necessary quantity  
SN - subcontracted not accredited test  
\* - the expanded measurement uncertainty, as determined by the extension coefficient  $k = 2$  (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value  
LOD – limit of detection, LOQ – limit of quantification, result between LOD and LOQ = detected  
1) - Information supplied by customer  
Unless otherwise stated in the notes, the place of the tests performance is workplace No. 1 - Prague - of EUROFINS CZ testing laboratory.  
++ - tests performed by EUROFINS CZ testing laboratory workplace No. 2 - Brno

TZ - type of test  
A - test within the accreditation scope of EUROFINS CZ  
N - test outside of the accreditation scope of EUROFINS CZ  
SA - subcontracted accredited test

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable Conditions of service available on request and accessible at [www.eurofins.cz](http://www.eurofins.cz).

No. of document: 202664153351573

Validity check of document

<https://www.linktothedocument.com>



**Test Certificate approved by:**

Kristina Vícenová  
Pracovník klientského servisu

