

CERTIFICATE OF ANALYSIS

Document No.: COA-300626-2026 Rev.: 01

SECTION 1 · PRODUCT SPECIFICATION

Product Name	Vilgain Creatine 180 Capsules
PV Number	PV41574
Category	Sport Nutritions; Creatine
Batch No.	300626
Expiry Date	30.06.2028

SECTION 2 · LABORATORY TEST RESULTS

2.1 Microbiological Parameters

Parameter	Method	LOR	Unit	Result
Coliform Bacteria	B-COLIF1	10	CFU/g	<10
Escherichia coli	B-EC1	10	CFU/g	<10
Moulds	B-YEMOU1	10	CFU/g	<10
Salmonella spp.	B-SALMELI1	—	—	negative/25 g
Staphylococcus aureus	B-STAPH1	10	CFU/g	<10
Total Viable Count	B-TVC1	10	CFU/g	<10
Yeast	B-YEMOU1	10	CFU/g	<10

Laboratory: ALS Czech Republic, s.r.o., Na Harfe 336/9, Prague 9

2.2 Heavy Metals

Parameter	Method	LOR	Unit	Result
Arsenic	B-METAXDG2	2.0	mg/kg	<2.0
Cadmium	B-METAXDG2	0.10	mg/kg	<0.10
Lead	B-METAXDG2	1.0	mg/kg	<1.0
Mercury	B-HG-AMADT	0.030	mg/kg	<0.030

Laboratory: ALS Czech Republic, s.r.o., Na Harfe 336/9, Prague 9

This Certificate of Analysis is issued exclusively for the batch number stated above. Results apply solely to the items tested. All analyses were conducted by accredited third-party laboratories. Document issued by Vilgain s.r.o., Brno, Czech Republic.

2.3 Chemical Composition

Parameter	Result	Expanded Uncertainty
Creatine	100.0 wt%	+/- 1.8 wt%
Creatinine	0.027 wt%	+/- 0.002 wt%
Dicyandiamide	not detected	—
Dihydrotriazine (1,3,5-triazine)	not detected	—

Laboratory: University of Chemistry and Technology Prague, Metrological and Testing Laboratory UCT Prague, Technická 1905/5, 166 28 Prague 6

SECTION 3 · ANALYTICAL METHOD SUMMARIES

ALS Czech Republic, s.r.o. — Testing Laboratory No. 1163, accredited by CAI per ČSN EN ISO/IEC 17025:2018

Method	Description
B-COLIF1	ČSN ISO 4832. Enumeration of coliform bacteria by cultivation.
B-EC1	ČSN ISO 16649-2. Enumeration of beta-glucuronidase-positive Escherichia coli by cultivation.
B-HG-AMADT	CZ_SOP_D06_09_024 (ČSN 75 7440). Determination of Hg by atomic absorption spectrometry. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-METAXDG2	CZ_SOP_D06_09_001 (US EPA Method 200.7, ČSN EN ISO 11885). Determination of elements by ICP-AES; sample homogenized and mineralized by acids and H ₂ O ₂ .
B-SALMELI1	CZ_SOP_D06_09_309. Detection of Salmonella by ELISA (Solus). Enrichment and confirmation per ČSN EN ISO 6579-1.
B-STAPH1	ČSN EN ISO 6888-1. Enumeration of coagulase-positive staphylococci by cultivation.
B-TVC1	ČSN EN ISO 4833-1. Enumeration of microorganisms by cultivation.
B-YEMOU1	ČSN ISO 21527-1; ČSN ISO 21527-2. Enumeration of yeasts and moulds by cultivation.

University of Chemistry and Technology Prague, Metrological and Testing Laboratory UCT Prague — Testing Laboratory No. 1316.2, accredited per EN ISO/IEC 17025:2018

Method	Description
UHPLC-DAD-HRMS /MS	Determination of creatine content by UHPLC with UV detection (DAD, 214 nm) and high-resolution mass spectrometry; reverse phase chromatography. Test Certificate ML 1703/26, Appendix No. 1.
KM15 (UHPLC-HRMS/MS)	Targeted screening and quantification of impurities (creatinine, dicyandiamide, dihydrotriazine) by UHPLC-HRMS/MS; accredited per ISO 17025; LOQ for dicyandiamide: 0.01 wt%. Test Certificate ML 1703/26, print no. ENG_642/26.

QA Department · Vilgain s.r.o.

Place & Date: Brno, 10 August 2026

This Certificate of Analysis is issued exclusively for the batch number stated above. Results apply solely to the items tested. All analyses were conducted by accredited third-party laboratories. Document issued by Vilgain s.r.o., Brno, Czech Republic.

Page 2 of 2