

# CERTIFICATE OF ANALYSIS

Document No.: VLG-QA-COA-AR-26-SZ-080821-01 / AR-26-SZ-080854-01 Rev.: 01

## SECTION 1 · PRODUCT SPECIFICATION

|              |                                                     |
|--------------|-----------------------------------------------------|
| Product Name | Vilgain Creatine Creapure® 300 capsules unflavoured |
| PV Number    | PV45402                                             |
| Category     | Supplement                                          |
| Batch No.    | S160926                                             |
| Expiry Date  | 15.09.2028                                          |

## SECTION 2 · LABORATORY TEST RESULTS

| Parameter                      | Result       | Unit  | Reference / MRL |
|--------------------------------|--------------|-------|-----------------|
| <b>Microbiological testing</b> |              |       |                 |
| Escherichia coli               | < 10         | CFU/g | —               |
| Coliform bacteria              | < 10         | CFU/g | ≤ 100           |
| Moulds                         | < 10         | CFU/g | ≤ 100           |
| Salmonella sp. /25g            | Not detected | —     | —               |
| <b>Heavy metals</b>            |              |       |                 |
| Cadmium (Cd)                   | < 0.10       | mg/kg | ≤ 1.0           |
| Lead (Pb)                      | < 0.30       | mg/kg | ≤ 3.0           |
| Mercury (Hg)                   | < 0.010      | mg/kg | ≤ 0.10          |

All tested microbiological parameters and heavy metals comply with applicable requirements.

## SECTION 3 · ANALYTICAL METHOD SUMMARIES

Eurofins Food Testing Slovakia s.r.o. (Nové Zámky, Slovakia) – microbiological testing accredited SNAS (ILAC/EA MLA signatory). Methods: STN ISO 16649-2 (E. coli), STN ISO 4832 (coliform bacteria), STN ISO 21527-2 (moulds), STN EN ISO 6579-1 (Salmonella). Heavy metals (Cd, Pb, Hg) determined by ICP-MS, method LS-PP-CH-85, in accordance with Commission Regulation (EU) 2023/915.

**Place & Date:**  
Brno, Czech Republic, 05.10.2026

**Quality Department**  
Vilgain s.r.o.

This Certificate of Analysis is issued exclusively for the batch number stated above. Results apply solely to the items tested. All analyses were conducted by accredited third-party laboratories. Document issued by Vilgain s.r.o., Brno, Czech Republic.