



## CERTIFICATE OF ANALYSIS

Work Order	: <b>FP2504423-AC</b>	Issue Date	: 18-Feb-2025
Amendment	: <b>(Partial Report)</b>		
Customer	: <b>Vilgain s.r.o.</b>	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Simona Welszarová	Contact	: F&P Client Service
Address	: Smetanova 1022/19 Veveří 602 00 Brno-střed	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: simonawelszarova@aktin.cz	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: ----	Page	: 1 of 2
Order number	: ----	Date Samples	: 07-Feb-2025
		Received	
		Quote number	: FP2024VILGA-CZ0001 (CZ-114-24-5130)
Site	: ----	Date of test	: 10-Feb-2025 - 17-Feb-2025
Sampled by	: zákazník	QC Level	: ALS CR Standard Quality Control Schedule

### General Comments

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

### Responsible for accuracy

Signatories

Kateřina Hubáčková

Position

Site Manager Food

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

### Sample Information

No. of samples received : 5

Date Samples Received

No. of samples analysed : 5

07-Feb-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2504423-003	Joint Support Papaya 360g; 24.01.2027; S240125	07-Feb-2025
FP2504423-004	Collagen Complex Pear Peach Fuzz 300g; 09.01.2027; S090125	07-Feb-2025
FP2504423-005	Magnesium Bisglycinate 90 caps; V1509-5120; 08/2027	07-Feb-2025
FP2504423-006	Creatine Creapure Caps 120 capsules; 28.01.2027; S280125	07-Feb-2025
FP2504423-007	Creatine Creapure Unflavoured 500g; 13.12.2026; S131224	07-Feb-2025

Issue Date : 18-Feb-2025
Page : 2 of 2
Work Order : FP2504423-AC
Customer : Vilgain s.r.o.



Analytical Results

Table with 10 columns: Parameter, Method, LOR, Unit, Result, MU (repeated for samples FP2504423-003, FP2504423-004, FP2504423-005). Rows include Total Metals / Major Cations, Arsenic, Cadmium, Lead, and Mercury.

Table with 10 columns: Parameter, Method, LOR, Unit, Result, MU (repeated for samples FP2504423-006, FP2504423-007, and a blank header). Rows include Total Metals / Major Cations, Arsenic, Cadmium, Lead, and Mercury.

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level. Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Table with 2 columns: Analytical Methods, Method Descriptions. Rows describe B-HG-AMADT and B-METAXDG2 methods.

The symbol "\*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report...

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis