



CERTIFICATE OF ANALYSIS

Work Order	: FP2523675	Issue Date	: 23-Jul-2025
Customer	: Vilgain s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Simona Welszarová	Contact	: F&P Client Service
Address	: Smetanova 1022/19 Veveří 602 00 Brno-střed	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: simonawelszarova@aktin.cz	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: ----	Page	: 1 of 2
Order number	: ----	Date Samples	: 09-Jul-2025
		Received	
		Quote number	: FP2024VILGA-CZ0001 (CZ-114-24-5130)
Site	: ----	Date of test	: 09-Jul-2025 - 23-Jul-2025
Sampled by	: zákazník	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

09-Jul-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : SAUCE|ADDITIVES

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2523675-001	vilgain Fresh Roast Coffee 250 g a mixture of Brazil and El Salvador; exp 1.7.2026	08-Jul-2025



Analytical Results

Sub-Matrix: SAUCE ADDITIVES				Laboratory sample ID		FP2523675-001		-----	
				Client sampling date / time		08-Jul-2025		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Arsenic	B-METAXDG2	2.0	mg/kg	<2.0	---	----	----	----	----
Cadmium	B-METAXDG2	0.10	mg/kg	<0.10	---	----	----	----	----
Lead	B-METAXDG2	1.0	mg/kg	<1.0	---	----	----	----	----
Mercury	B-HG-AMADT	0.030	mg/kg	<0.030	---	----	----	----	----
Mycotoxins									
Aflatoxin G2	B-MP2360Aflat	0.50	µg/kg	<0.50	---	----	----	----	----
Aflatoxin G1	B-MP2360Aflat	0.50	µg/kg	<0.50	---	----	----	----	----
Ochratoxin A	B-MP2360Mycot	1.0	µg/kg	<1.0	---	----	----	----	----
Aflatoxin B2	B-MP2360Aflat	0.50	µg/kg	<0.50	---	----	----	----	----
Aflatoxin B1	B-MP2360Aflat	0.50	µg/kg	<0.50	---	----	----	----	----
Aflatoxin - Total (B1, B2, G1, G2)	B-MP2360Aflat	0.50	µg/kg	<0.50	---	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
<i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i>	
B-HG-AMADT	CZ_SOP_D06_09_024 (ČSN 75 7440) Determination of Hg by atomic absorption spectrometry. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-METAXDG2	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
<i>Location of test performance: Via Viatta, 1 Zoppola Friuli Venezia Giulia Italy 33080</i>	
B-MP2360Aflat	Determination of mycotoxines in food for human use and feed
B-MP2360Mycot	Determination of mycotoxines in food for human use and feed MP.2360:R4.2025

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis