

# CERTIFICATE OF ANALYSIS

Document No.: VLG-QA-COA-AR-26-SZ-078308-01 / AR-26-SZ-079094-01 Rev.: 01

## SECTION 1 · PRODUCT SPECIFICATION

|              |                                        |
|--------------|----------------------------------------|
| Product Name | Vilgain Fish Collagen 250g unflavoured |
| PV Number    | PV45401                                |
| Category     | Supplement                             |
| Batch No.    | S160926                                |
| Expiry Date  | 16.09.2028                             |

## SECTION 2 · LABORATORY TEST RESULTS

| Parameter                      | Result       | Unit  | Reference / MRL |
|--------------------------------|--------------|-------|-----------------|
| <b>Microbiological testing</b> |              |       |                 |
| Escherichia coli               | < 10         | CFU/g | —               |
| Coliform bacteria              | < 10         | CFU/g | ≤ 10            |
| Moulds                         | < 10         | CFU/g | ≤ 10            |
| Salmonella sp. /25g            | Not detected | —     | Not detected    |
| <b>Heavy metals</b>            |              |       |                 |
| Cadmium (Cd)                   | < 0.10       | mg/kg | ≤ 1.0           |
| Lead (Pb)                      | < 0.30       | mg/kg | ≤ 3.0           |
| Mercury (Hg)                   | < 0.010      | mg/kg | ≤ 0.10          |

All tested microbiological parameters and heavy metals comply with applicable requirements.

## SECTION 3 · ANALYTICAL METHOD SUMMARIES

Eurofins Food Testing Slovakia s.r.o. (Nové Zámky, Slovakia) – microbiological testing accredited SNAS (ILAC/EA MLA signatory). Methods: STN ISO 16649-2 (E. coli), STN ISO 4832 (coliform bacteria), STN ISO 21527-2 (moulds), STN EN ISO 6579-1 (Salmonella). Heavy metals (Cd, Pb, Hg) determined by ICP-MS, method LS-PP-CH-85, in accordance with Commission Regulation (EU) 2023/915.

### Place & Date:

Brno, Czech Republic, 30.09.2026

### Quality Department

Vilgain s.r.o.

This Certificate of Analysis is issued exclusively for the batch number stated above. Results apply solely to the items tested. All analyses were conducted by accredited third-party laboratories. Document issued by Vilgain s.r.o., Brno, Czech Republic.